	Field	Acres	Buffer	Net Ac.	Latitude	Long.	FSN#	Tract	Field	Tax ID #	RPC#
Herbert	RO81-1	13.6	2.6	11.0	37.141	-79.565	4256	6941	1	235 A 5	23500300
Plymale	RO81-2	31.9	7.1	24.8	37.142	-79.562	4256	6941	1	235 A 5	23500300
	RO81-3	8.1	0.2	7.9	37.137	-79.560	4256	6941	1	235 A 5	23500300
	RO81-4	43.1	13.9	29.2	37.139	-79.557	4256	6941	1	235 A 5	23500300
	TOTALS	96.7		72.9		-					

VIRGINIA POLLUTION ABATEMENT PERMIT APPLICATION FORM D: MUNICIPAL EFFLUENT AND BIOSOLIDS

PART D-VI: LAND APPLICATION AGREEMENT - BIOSOLIDS AND INDUSTRIAL RESIDUALS

here as "Landowner", and remains in effect until it is to the Landowner in the event individual parcels identified	Bic Numic Services Inc. erminated in writing by either of a sale of one or more part	referred to here as the "Pe party or, with respect to the reels, until ownership of all those parcels for which ow	nose parcels that are retained by parcels changes. If ownership of wnership has changed will no
Landowner: The Landowner is the owner the agricultural, silvicultural attached as Exhibit A.	er of record of the real proper or reclamation sites identifie	rty located in <u>Redford</u> d below in Table 1 and ide	, Virginia, which includes entified on the tax map(s)
Table 1.: Parcels aut	horized to receive biosolids,	water treatment residuals	or other industrial sludges
Tax Parcel ID	Tax Parcel ID	Tax Parcel ID	<u>Tax Parcel ID</u>
235 A5	23500700		
Additional parcels containing Lan	d Application Sites are identified on	Supplement A (check if applicat	ole)
Check one: M Th	e Landowner is the sole own e Landowner is one of multip	er of the properties identif	ied herein.
within 38 months of the late 1. Notify the purchase later than the date 2. Notify the Permittee The Landowner has no other notify the Permittee immedifor application or any part of incorrect.	est date of biosolids application or transferee of the application of the property transfer; and the of the sale within two weekes agreements for land applicately if conditions change sure of this agreement becomes in	on, the Landowner shall: able public access and cro s following property transfi- cation on the fields identified that the fields are no lo nvalid or the information he	ed herein. The Landowner will onger available to the Permittee erein contained becomes
agricultural sites identified a inspections on the land ider purpose of determining con	ntified above, before, during apliance with regulatory requ	Landowner also grants pe or after land application of firements applicable to such	ermission for DEQ staff to conduct for permitted residuals for the chapplication.
Class B biosolids Wate ☑ Yes ☐ No ☐ Ye		ood processing waste I Yes ☑ No	Other industrial/sludges Yes No 7
Herbert M	Ar Shor// Plyma	le Heal trankle	Plynal MONOTAYER
Landowner - Printed Name, Title	Signature		Mailing Address
manner authorized by the VPA		unts not to exceed the rates i	uals on the Landowner's land in the dentified in the nutrient management -104.2 of the Code of Virginia.
The Permittee agrees to notify specifically prior to any particu	the Landowner or the Landowr lar application to the Landowne	ner's designee of the propose r's land. Notice shall include	ed schedule for land application and the source of residuals to be applied.
☐ I reviewed the document(s) document(s) available to DEQ	assigning signatory authority to for review upon request. (Do no	the person signing for lando of check this box if the landowne	wner above. I will make a copy of this ar signs this agreement)
Vaughn Buck Stevenso. Permittee – Authorized Represe Printed Name	Varylu Bud Signature	516 fountree	Road, (ha/lotte, NC 28217 Mailing Address

Page 1 of 2

*

VIRGINIA POLLUTION ABATEMENT PERMIT APPLICATION: PART DVI LAND APPLICATION AGREEMENT

Permittee: Bio- Nomic Services Inc.	County or City: Bedford County
Landowner: Herbert M. Plymale	J

Landowner Site Management Requirements:

I, the Landowner, I have received a DEQ Biosolids Fact Sheet that includes information regarding regulations governing the land application of biosolids, the components of biosolids and proper handling and land application of biosolids.

I have also been expressly advised by the Permittee that the site management requirements and site access restrictions identified below must be complied with after biosolids have been applied on my property in order to protect public health, and that I am responsible for the implementation of these practices:

I agree to implement the following site management practices at each site under my ownership following the land application of biosolids at the site:

 Notification Signs: I will not remove any signs posted by the Permittee for the purpose of identifying my field as a biosolids land application site, unless requested by the Permittee, until at least 30 days after land application at that site is completed.

2. Public Access

- a. Public access to land with a high potential for public exposure shall be restricted for at least one year following any application of biosolids.
- b. Public access to land with a low potential for public exposure shall be restricted for at least 30 days following any application of biosolids. No biosolids amended soil shall be excavated or removed from the site during this same period of time unless adequate provisions are made to prevent public exposure to soil, dusts or aerosols;
- c. Turf grown on land where biosolids are applied shall not be harvested for one year after application of biosolids when the harvested turf is placed on either land with a high potential for public exposure or a lawn, unless otherwise specified by DEQ.

3. Crop Restrictions:

- a. Food crops with harvested parts that touch the biosolids/soil mixture and are totally above the land surface shall not be harvested for 14 months after the application of biosolids.
- b. Food crops with harvested parts below the surface of the land shall not be harvested for 20 months after the application of biosolids when the biosolids remain on the land surface for a time period of four (4) or more months prior to incorporation into the soil,
- c. Food crops with harvested parts below the surface of the land shall not be harvested for 38 months when the biosolids remain on the land surface for a time period of less than four (4) months prior to incorporation.
- d. Other food crops and fiber crops shall not be harvested for 30 days after the application of biosolids;
- e. Feed crops shall not be harvested for 30 days after the application of biosolids (60 days if fed to lactating dairy animals).

4. Livestock Access Restrictions:

Following biosolids application to pasture or hayland sites:

- a. Meat producing livestock shall not be grazed for 30 days,
- b. Lactating dairy animals shall not be grazed for a minimum of 60 days.
- c. Other animals shall be restricted from grazing for 30 days;
- 5. Supplemental commercial fertilizer or manure applications will be coordinated with the biosolids and industrial residuals applications such that the total crop needs for nutrients are not exceeded as identified in the nutrient management plan developed by a person certified in accordance with §10.1-104.2 of the Code of Virginia;
- 6. Tobacco, because it has been shown to accumulate cadmium, should not be grown on the Landowner's land for three years following the application of biosolids or industrial residuals which bear cadmium equal to or exceeding 0.45 pounds/acre (0.5 kilograms/hectare).

Harbert M Plesmale
Landowner's Signature

Date Date

Page 2 of 2

Rev 9/14/2012

County of Beatora Contact | GIS Page Log On Search Results Detaits Map View In Map 전<u>Printer-Friendly</u> Tax Map # Link Parcel Number(RPC). Address 235 A 5 235 A 5 23500300 Link to Real Estate Lookup/Sketch Parcel Information Valuation **Ownership History** Improvements **General Information** 184.4300 Owner: PLYMALE HERBERT M Legal Acreage: 6 Agricultural/Undevl(100+ac) Additional Owner: PCDesc: ROCK CASTLE 3420 AYERS RD Legal Description: Owner Address: MONETA, VA 24121 020003819 **Document Number:** Land Use Tax Year: 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006

> 1081-1 1081-2 12081-3 12081-4

Bedford, VA

Legend


Highway

- Blue Ridge Parkway
- US Primary
- Virginia Primary Roads
- Parcels County
 - Parcels Town

12081-1. 12081-2 12081-3 12081-4

Feet

500 1000 1500 2000 1:18,056 / 1"=1,505 Feet



Title: Plymale Herbert M 235 A 5 23500300

DISCLAIMER: This drawing is neither a legally recorded map nor a survey and is not intended to be used as such. The information displayed is a compilation of records information, and data obtained from various sources, and Bedford County is not responsible for its accuracy or how current it may be.

Herbert Plymale Farm

Bio-Nomic Services, Inc. is filing this application to apply approved (VA0025020) Class B biosolids to this designated farm land in Bedford County, Virginia.

The farm is located in the Radford community on the south side of Ayers Road. All fields are located in a predominately agricultural areas. All streams, drainage features, rock outcrops, structures, dwellings, property lines, roadways and wells are designated and buffered as required. There are no public contact sites in the vicinity of the farm. Biosolids are currently being used as crop nutrients on close by farms. This farm has been previously permitted by another biosolids contractor, however no applications have been performed.

Mr. Plymale operates his acreage as pasture. The grass cover in the pastures are predominately fescue.

The current fescue pastures are: RO 81-1, 81-2, 81-3 & 81-4.

Nutrient Management Plans will be written by a certified plan writer to address the application of biosolids to the designated fields that will address the most recent planned use of the fields should any changes occur in agricultural practices.

bing maps


- A Brownlee Ave SE, Roanoke, VA 24014
- **B** 3420 Ayers Rd, Moneta, VA 24121


1 hr 05 min, 39.2 mi Light traffic (1 hr 1 min without traffic) Via VA-24, VA-24 E


Herbert Plymale RO 81			

A Brownlee Ave SE, Roanoke, VA 24014


1	1.	Depart Brownlee Ave SE toward Kindred St SE	161 ft
Þ	2.	Turn right onto Kindréd St SE	479 ft
г)	3.	Turn right onto Carlisle Ave SE , and then immediately turn right onto Bennington St SE	0.8 mi
 г >	4.	Turn right onto VA-24 Pass Hess in 1.0 mi	2.2 mi
1 1	5.	Keep left to stay on VA-24 E / Bypass Rd	0.4 mi
 Ϋ́	6.	Turn right to stay on VA-24 E Pass Exxon in 4.4 mi	19.1 mi, 26 min
l>	7.	Turn right onto VA-122 / Moneta Rd Pass Marathon in 2.7 mi	4.9 mi
4	8.	Turn left onto White House Rd	6.0 mi
 4	9.	Turn left onto Smith Mountain Lake Pkwy	3.2 mi
4	10.	Turn left onto Stone Mountain Rd	1.9 mi
 ς	11.	Bear left onto Ayers Rd	0.6 mi
	12.	Arrive at Ayers Rd The last intersection is Stone Mountain Rd If you reach Foster Farm Ln, you've gone too far	










These directions are subject to the Microsoft® Service Agreement and are for informational purposes only. No guarantee is made regarding their completeness or accuracy. Construction projects, traffic, or other events may cause actual conditions to differ from these results. Map and traffic data © 2016 HERE™.









MAP LEGEND MAP INFORMATION Area of Interest (AOI) The soil surveys that comprise your AOI were mapped at 1:24,000. Not rated or not available Area of Interest (AOI) Water Features Warning: Soil Map may not be valid at this scale. Soils Streams and Canals Enlargement of maps beyond the scale of mapping can cause Soil Rating Polygons Transportation misunderstanding of the detail of mapping and accuracy of soil line 0 - 25 Rails +++ placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale. 25 - 50 Interstate Highways 50 - 100 **US Routes** Please rely on the bar scale on each map sheet for map 100 - 150 measurements. Major Roads 150 - 200 Source of Map: Natural Resources Conservation Service Local Roads Web Soil Survey URL: http://websoilsurvey.nrcs.usda.gov > 200 Background Coordinate System: Web Mercator (EPSG:3857) Not rated or not available Aerial Photography Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts Soil Rating Lines distance and area. A projection that preserves area, such as the 0 - 25 Albers equal-area conic projection, should be used if more accurate 25 - 50 calculations of distance or area are required. 50 - 100 This product is generated from the USDA-NRCS certified data as of the version date(s) listed below. 100 - 150 Soil Survey Area: Bedford County, Virginia 150 - 200 Survey Area Data: Version 11, Dec 11, 2013 > 200 Soil map units are labeled (as space allows) for map scales 1:50,000 Not rated or not available Soil Rating Points Date(s) aerial images were photographed: Nov 8, 2010-Mar 17, 0 - 25 2011 25 - 50 The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background 50 - 100 imagery displayed on these maps. As a result, some minor shifting 100 - 150 of map unit boundaries may be evident. 150 - 200 > 200

Depth to Any Soil Restrictive Layer

Depth to Any Soil Restrictive Layer— Summary by Map Unit — Bedford County, Virginia (VA019)										
Map unit symbol	Map unit name	Rating (centimeters)	Acres in AOI	Percent of AOI						
7B	Cecil fine sandy loam, 2 to 7 percent slopes	>200	21.6	22.4%						
7C	Cecil fine sandy loam, 7 to 15 percent slopes	>200	36.4	37.7%						
21D3	Madison sandy clay loam, 15 to 25 percent slopes, severely eroded	>200	29.1	30.1%						
21E3	Madison sandy clay loam, 25 to 40 percent slopes, severely eroded	>200	0.6	0.6%						
24C	Mecklenburg loam, 7 to 15 percent slopes	>200	1.7	1.7%						
26D	Poindexter fine sandy loam, 15 to 25 percent slopes	56	7.3	7.5%						
Totals for Area of Inte	rest		96.7	100.0%						

Description

A "restrictive layer" is a nearly continuous layer that has one or more physical, chemical, or thermal properties that significantly impede the movement of water and air through the soil or that restrict roots or otherwise provide an unfavorable root environment. Examples are bedrock, cemented layers, dense layers, and frozen layers.

This theme presents the depth to any type of restrictive layer that is described for each map unit. If more than one type of restrictive layer is described for an individual soil type, the depth to the shallowest one is presented. If no restrictive layer is described in a map unit, it is represented by the "> 200" depth class.

This attribute is actually recorded as three separate values in the database. A low value and a high value indicate the range of this attribute for the soil component. A "representative" value indicates the expected value of this attribute for the component. For this soil property, only the representative value is used.


Rating Options

Units of Measure: centimeters

Aggregation Method: Dominant Component Component Percent Cutoff: None Specified

Tie-break Rule: Lower

Interpret Nulls as Zero: No



MAP INFORMATION MAP LEGEND Area of Interest (AOI) The soil surveys that comprise your AOI were mapped at 1:24,000. Not rated or not available Area of Interest (AOI) **Water Features** Warning: Soil Map may not be valid at this scale. Soils Streams and Canals Enlargement of maps beyond the scale of mapping can cause Soil Rating Polygons Transportation misunderstanding of the detail of mapping and accuracy of soil line 0 - 25 Rails placement. The maps do not show the small areas of contrasting +++ soils that could have been shown at a more detailed scale. 25 - 50 Interstate Highways 50 - 100 **US Routes** Please rely on the bar scale on each map sheet for map measurements. 100 - 150 Major-Roads 150 - 200 Source of Map: Natural Resources Conservation Service Local Roads Web Soil Survey URL: http://websoilsurvey.nrcs.usda.gov > 200 Coordinate System: Web Mercator (EPSG:3857) Background Not rated or not available **Aerial Photography** Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts Soil Rating Lines distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate 25 - 50 calculations of distance or area are required. 50 - 100 This product is generated from the USDA-NRCS certified data as of the version date(s) listed below. 100 - 150 Soil Survey Area: Bedford County, Virginia 150 - 200 Survey Area Data: Version 11, Dec 11, 2013 > 200 Soil map units are labeled (as space allows) for map scales 1:50,000 Not rated or not available or larger. Soil Rating Points Date(s) aerial images were photographed: Nov 8, 2010—Mar 17, 0 - 25 2011 25 - 50 The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background 50 - 100 imagery displayed on these maps. As a result, some minor shifting 100 - 150 of map unit boundaries may be evident. 0 150 - 200 > 200

Depth to Water Table

Map unit symbol	Map unit name	Rating (centimeters)	Acres in AOI	Percent of AOI	
7B	Cecil fine sandy loam, 2 to 7 percent slopes	>200	21.6	22.4%	
7C	Cecil fine sandy loam, 7 to 15 percent slopes	>200	36.4	37.7%	
21D3	Madison sandy clay loam, 15 to 25 percent slopes, severely eroded	>200	29.1	30.1%	
21E3	Madison sandy clay loam, 25 to 40 percent slopes, severely eroded	>200	0.6	0.6%	
24C	Mecklenburg loam, 7 to 15 percent slopes	>200	1.7	1.7%	
26D	Poindexter fine sandy loam, 15 to 25 percent slopes	>200	7.3	7.5%	
Totals for Area of Inter	est		96.7	100.0%	

Description

"Water table" refers to a saturated zone in the soil. It occurs during specified months. Estimates of the upper limit are based mainly on observations of the water table at selected sites and on evidence of a saturated zone, namely grayish colors (redoximorphic features) in the soil. A saturated zone that lasts for less than a month is not considered a water table.


This attribute is actually recorded as three separate values in the database. A low value and a high value indicate the range of this attribute for the soil component. A "representative" value indicates the expected value of this attribute for the component. For this soil property, only the representative value is used.

Rating Options

Units of Measure: centimeters

Aggregation Method: Dominant Component Component Percent Cutoff: None Specified

Tie-break Rule: Lower Interpret Nulls as Zero: No Beginning Month: January Ending Month: December



BEDFORD COUNTY, VIRGINIA

PROJECT NO:

15-18 Ph: 01



+

1 inch = 400 feet


Farm: 3128 Tract: 5990

String Coloradarian Metricolaru Seducied that

County from The sales of Contributed Participant

Disclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original dermination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.





+

1 inch = 244 feet

Farm: 3130 Tract: 5992

Steined Referenceion metricos

Washington (has

Named Stand Section to Section 2018 Control of the Section 2018

Disclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original dermination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.



Bedford County, VA



1

1 inch = 734 feet

Farm: 4256 Tract: 6941

Steined Erformirection dietablera


Variable State at many

Francis Securitarios Chatalances Photonic

Disclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original dermination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.



Bedford County, VA



+

1 inch = 154 feet

Farm: 4256

Tract: 2998

Steined Cohemicalian Mart Place

Contracted that

Variet National

County Name Control and Contribution of Particular

Disclaimer: Wetland identifiers do not represent the size, shape or specific determination of the area. Refer to your original dermination (CPA-026 and attached maps) for exact wetland boundaries and determinations, or contact NRCS.



Bedford County, VA

Page 1 of 1

Report Number: 16-098-0501

Account Number: 45671

ANALYTICAL

7621 Whitepine Road, Richmond, VA 23237 Main 804-743-9401 ° Fax 804-271-6446 www.waypointanalytical.com

Send To: BIO-NOMIC SERVICES INC

Joel Coert

516 ROUNDTREE RD CHARLOTTE NC 28217 "Every acre...Every year." TH

Grower: PLYMALE

Submitted By: DON GREENE

Farm ID: RO 81

SOIL ANALYSIS REPORT

Analytical Method(s):

Lime Index Mehlich 3 Loss On Ignition Water pH

Date Received: 04/07/2016

Date Of Analysis: 04/08/2016

Date Of Report: 04/08/2016

		T	T	T =			<u>·</u>	T =						1
Sample ID	Lab	ОМ	W/V	ENR		Phosphorus		Potassium	Magnesium	Calcium	Sodium	pH	Acidity	C.E.C
Field ID	Number	% Rate	Soil Class	lbs/A	M3 ppm Rate	ppm Rate	ppm Rate	K ppm Rate	Mg ppm Rate	Ca ppm Rate	Na ppm Rate		uffer H ndex meq/100g	meq/100g
81-1	06671	2.5 L	MIN	94	1 VL NC = 1			74 M NC = 38	32 L	398 L		5.0	6.76 1.7	4.1
81-2	06672	2.5 L	MIN	93	1 VL NC = 1			80 M NC = 41	39 L	431 L		4.9	6.72 2.1	4.8
81-3	06673	2.6 M	MIN	96	1 VL NC = 1			59 L NC = 30	29 VL	400 L		4.9	6.74 1.9	4.3
81-4	06674	2.9 M	MiN	102	2 VL NC = 2			70 M NC = 36	35 L	361 L		4.9	6.75 1.8	4.1
	Percent Base Saturation			Nitrate	Sulfur	Zinc	Manganese	Iron	Copper	Boron	Soluble Sa	Its Chloride	Aluminum	
Sample ID Field ID	К %	Mg %		Na H % %	NO ₃ N ppm Rate	S ppm Rate	Zn ppm Rate	Mn ppm Rate	Fe ppm Rate	Cu ppm Rate	B ppm Rate	SS ms/cm R	CI ate ppm Rate	Al ppm
81-1	4.6	6.5	48.5	41.5	5									
81-2	4.3	6.8	44.9	43.8	3									
81-3	3.5	5.6	46.5	44.2	2							b //2/		
81-4	4.4	7.1	44.0	43.9)			-						

Values on this report represent the plant available nutrients in the soil. Rating after each value: VL (Very Low), L (Low), M (Medium), H (High), VH (Very High). ENR - Estimated Nitrogen Release. C.E.C. - Cation Exchange Capacity.

Explanation of symbols: % (percent), ppm (parts per million), lbs/A (pounds per acre), ms/cm (milti-mhos per centimeter), meq/100g (milli-equivalent per 100 grams). Conversions: ppm x 2 = lbs/A, Soluble Salts ms/cm \times 640 = ppm.

This report applies to sample(s) tested. Samples are retained a maximum of thirty days after testing.

Analysis prepared by: Waypoint Analytical Virginia, Inc.

Pauric McGroary